

Appn. No. 09/655,665
Amdt. dated December 21, 2004
Reply to Office Action of October 4, 2004

PATENT

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1. (Original) An image processing apparatus for generating new image data having pixel values having all color information for each interpolation point set on a two-dimensional plane, from original image data made up of many pixels which are arrayed in a matrix on the two-dimensional plane and each of which has only a pixel value representing a predetermined color information level obtained by an image sensor having individual color filters, comprising:

a replacement unit for, for a pixel value of a pixel that need not be replaced by another pixel value among pixel values contained in the original image data, adding replacement information representing non-replacement of the pixel value to the pixel value, and outputting the pixel value as replacement information-added image data, and for a pixel value of a pixel that needs to be replaced by another pixel value, replacing the pixel value by a predetermined pixel value, adding replacement information indicating replacement of the pixel value to the replaced pixel value, and outputting the pixel value as replacement information-added image data; and

an interpolation unit for outputting interpolated pixel values having all color information by interpolating a pixel value at an interpolation point for each color information on the basis of a predetermined arithmetic expression from pixel values of pixels of the same color falling within a predetermined interpolation region containing the interpolation point among all replacement information-added image data output from said replacement unit, and when replacement information of any pixel used for calculation indicates replacement, using an arithmetic expression different from the arithmetic expression.

2. (Original) An apparatus according to claim 1, further comprising:
a compensation value calculation unit for calculating a pixel compensation value for compensating for a pixel value at the interpolation point based on a predetermined arithmetic

Appln. No. 09/655,665
Amdt. dated December 21, 2004
Reply to Office Action of October 4, 2004

PATENT

expression from pixel values of a plurality of pixels which are positioned around the interpolation point and fall within a compensation region wider than and including the interpolation region, and when replacement information of any pixel used for calculation indicates replacement, calculating the pixel compensation value based on an arithmetic expression different from the arithmetic expression; and

a compensation unit for compensating for the interpolated pixel value at the interpolation point output from said interpolation unit for each color information using the pixel compensation value at the interpolation point calculated by said compensation value calculation unit, and outputting the interpolated pixel value as a new pixel value having all color information at the interpolation point.

3. (Original) An apparatus according to claim 1, wherein said replacement unit determines whether to replace each pixel value, on the basis of defect information indicating presence/absence of a defect of each pixel of the image sensor.

4. (Original) An apparatus according to claim 1, wherein said replacement unit replaces a pixel value using a pixel value of a pixel of the same color positioned neighboring the pixel.

5. (Original) An apparatus according to claim 2, wherein said compensation value calculation unit calculates a pixel compensation value at an interpolation point using a pixel value having color information as a representative of a luminance component of original image data among pixels falling within the compensation region.

6. (Currently amended) ~~An apparatus according to claim 1~~
An image processing apparatus for generating new image data having pixel values having all color information for each interpolation point set on a two-dimensional plane, from original image data made up of many pixels which are arrayed in a matrix on the two-dimensional plane and each of which has only a pixel value representing a predetermined color information level obtained by an image sensor having individual color filters, comprising:

Appln. No. 09/655,665
Amdt. dated December 21, 2004
Reply to Office Action of October 4, 2004

PATENT

a replacement unit for, for a pixel value of a pixel that need not be replaced by another pixel value among pixel values contained in the original image data, adding replacement information representing non-replacement of the pixel value to the pixel value, and outputting the pixel value as replacement information-added image data, and for a pixel value of a pixel that needs to be replaced by another pixel value, replacing the pixel value by a predetermined pixel value, adding replacement information indicating replacement of the pixel value to the replaced pixel value, and outputting the pixel value as replacement information-added image data; and

an interpolation unit for outputting interpolated pixel values having all color information by interpolating a pixel value at an interpolation point for each color information on the basis of a predetermined arithmetic expression from pixel values of pixels of the same color falling within a predetermined interpolation region containing the interpolation point among all replacement information-added image data output from said replacement unit, and when replacement information of any pixel used for calculation indicates replacement, using an arithmetic expression different from the arithmetic expression,

wherein when target calculation pixels used to calculate the interpolated pixel value include a pixel whose replacement information indicates, an arithmetic expression is used, which has a reduced weight coefficient ~~comparing as compared~~ to a normal arithmetic expression for calculating the interpolated pixel value, or has a weight coefficient of 0 for the pixel or a plurality of target calculation pixels including the pixel.

7. (Currently amended) ~~An apparatus according to claim 2,~~

An image processing apparatus for generating new image data having pixel values having all color information for each interpolation point set on a two-dimensional plane, from original image data made up of many pixels which are arrayed in a matrix on the two-dimensional plane and each of which has only a pixel value representing a predetermined color information level obtained by an image sensor having individual color filters, comprising:

a replacement unit for, for a pixel value of a pixel that need not be replaced by another pixel value among pixel values contained in the original image data, adding replacement information representing non-replacement of the pixel value to the pixel value, and outputting

Appl. No. 09/655,665
Amdt. dated December 21, 2004
Reply to Office Action of October 4, 2004

PATENT

the pixel value as replacement information-added image data, and for a pixel value of a pixel that needs to be replaced by another pixel value, replacing the pixel value by a predetermined pixel value, adding replacement information indicating replacement of the pixel value to the replaced pixel value, and outputting the pixel value as replacement information-added image data;

an interpolation unit for outputting interpolated pixel values having all color information by interpolating a pixel value at an interpolation point for each color information on the basis of a predetermined arithmetic expression from pixel values of pixels of the same color falling within a predetermined interpolation region containing the interpolation point among all replacement information-added image data output from said replacement unit, and when replacement information of any pixel used for calculation indicates replacement, using an arithmetic expression different from the arithmetic expression

a compensation value calculation unit for calculating a pixel compensation value for compensating for a pixel value at the interpolation point based on a predetermined arithmetic expression from pixel values of a plurality of pixels which are positioned around the interpolation point and fall within a compensation region wider than and including the interpolation region, and when replacement information of any pixel used for calculation indicates replacement, calculating the pixel compensation value based on an arithmetic expression different from the arithmetic expression; and

a compensation unit for compensating for the interpolated pixel value at the interpolation point output from said interpolation unit for each color information using the pixel compensation value at the interpolation point calculated by said compensation value calculation unit, and outputting the interpolated pixel value as a new pixel value having all color information at the interpolation point;

wherein when target calculation pixels used to calculate the pixel compensation value include a pixel whose replacement information indicates replacement, an arithmetic expression is used, which has a reduced weight coefficient ~~comparing~~ as compared to a normal arithmetic expression for calculating the pixel compensation value, or has a weight coefficient of 0 for the pixel or a plurality of target calculation pixels including the pixel.

Appln. No. 09/655,665
Amdt. dated December 21, 2004
Reply to Office Action of October 4, 2004

PATENT

8. (Original) An apparatus according to claim 2, wherein when target calculation pixels used to calculate the pixel compensation value include a pixel whose replacement information indicates replacement, said compensation value calculation unit outputs a pixel compensation value indicating non-compensation.

9. (Currently amended) ~~An apparatus according to claim 1~~

An image processing apparatus for generating new image data having pixel values having all color information for each interpolation point set on a two-dimensional plane, from original image data made up of many pixels which are arrayed in a matrix on the two-dimensional plane and each of which has only a pixel value representing a predetermined color information level obtained by an image sensor having individual color filters, comprising:

a replacement unit for, for a pixel value of a pixel that need not be replaced by another pixel value among pixel values contained in the original image data, adding replacement information representing non-replacement of the pixel value to the pixel value, and outputting the pixel value as replacement information-added image data, and for a pixel value of a pixel that needs to be replaced by another pixel value, replacing the pixel value by a predetermined pixel value, adding replacement information indicating replacement of the pixel value to the replaced pixel value, and outputting the pixel value as replacement information-added image data;

an interpolation unit for outputting interpolated pixel values having all color information by interpolating a pixel value at an interpolation point for each color information on the basis of a predetermined arithmetic expression from pixel values of pixels of the same color falling within a predetermined interpolation region containing the interpolation point among all replacement information-added image data output from said replacement unit, and when replacement information of any pixel used for calculation indicates replacement, using an arithmetic expression different from the arithmetic expression, wherein

~~said apparatus further comprises~~

a region value calculation unit for sequentially receiving pixel values forming the replacement information-added image data output from said replacement unit in parallel with each other by a predetermined number of pixel lines as pixel blocks for single pixel columns to

Appln. No. 09/655,665
Amdt. dated December 21, 2004
Reply to Office Action of October 4, 2004

PATENT

form a sub-matrix from a predetermined number of pixel blocks received successively, calculating logical OR of replacement information and sums of pixel values of pixels included in respective regions set in advance on the sub-matrix as region values of the respective regions, and parallel-outputting the respective region values in synchronism with reception of the pixel block, and

an interpolation unit selectively uses the respective region values parallel-output from said region value calculation unit to sequentially calculate, for each sub-matrix, interpolated pixel values at an interpolation point on a sub-matrix to be processed.

10. (Currently amended) ~~An apparatus according to claim 2,~~

An image processing apparatus for generating new image data having pixel values having all color information for each interpolation point set on a two-dimensional plane, from original image data made up of many pixels which are arrayed in a matrix on the two-dimensional plane and each of which has only a pixel value representing a predetermined color information level obtained by an image sensor having individual color filters, comprising:

a replacement unit for, for a pixel value of a pixel that need not be replaced by another pixel value among pixel values contained in the original image data, adding replacement information representing non-replacement of the pixel value to the pixel value, and outputting the pixel value as replacement information-added image data, and for a pixel value of a pixel that needs to be replaced by another pixel value, replacing the pixel value by a predetermined pixel value, adding replacement information indicating replacement of the pixel value to the replaced pixel value, and outputting the pixel value as replacement information-added image data;

an interpolation unit for outputting interpolated pixel values having all color information by interpolating a pixel value at an interpolation point for each color information on the basis of a predetermined arithmetic expression from pixel values of pixels of the same color falling within a predetermined interpolation region containing the interpolation point among all replacement information-added image data output from said replacement unit, and when replacement information of any pixel used for calculation indicates replacement, using an arithmetic expression different from the arithmetic expression;

Appln. No. 09/655,665
Amdt. dated December 21, 2004
Reply to Office Action of October 4, 2004

PATENT

a compensation value calculation unit for calculating a pixel compensation value for compensating for a pixel value at the interpolation point based on a predetermined arithmetic expression from pixel values of a plurality of pixels which are positioned around the interpolation point and fall within a compensation region wider than and including the interpolation region, and when replacement information of any pixel used for calculation indicates replacement, calculating the pixel compensation value based on an arithmetic expression different from the arithmetic expression;

a compensation unit for compensating for the interpolated pixel value at the interpolation point output from said interpolation unit for each color information using the pixel compensation value at the interpolation point calculated by said compensation value calculation unit, and outputting the interpolated pixel value as a new pixel value having all color information at the interpolation point;

wherein

~~said apparatus further comprises~~

a region value calculation unit for sequentially receiving pixel values forming the replacement information-added image data output from said replacement unit in parallel with each other by a predetermined number of pixel lines as pixel blocks for single pixel columns to form a sub-matrix from a predetermined number of pixel blocks received successively, calculating logical OR of replacement information and sums of pixel values of pixels included in respective regions set in advance on the sub-matrix as region values of the respective regions, and parallel-outputting the respective region values in synchronism with reception of the pixel block;

an interpolation unit selectively uses the respective region values parallel-output from said region value calculation unit to sequentially calculate, for each sub-matrix, interpolated pixel values at an interpolation point on a sub-matrix to be processed; and

a compensation value calculation unit selectively uses the respective region values parallel-output from said region value calculation unit to sequentially calculate, for each sub-matrix, a pixel compensation value at the interpolation point on the sub-matrix to be processed.

Appln. No. 09/655,665
Amdt. dated December 21, 2004
Reply to Office Action of October 4, 2004

PATENT

11. (Currently amended) ~~An apparatus according to claim 1, wherein~~

An image processing apparatus for generating new image data having pixel values having all color information for each interpolation point set on a two-dimensional plane, from original image data made up of many pixels which are arrayed in a matrix on the two-dimensional plane and each of which has only a pixel value representing a predetermined color information level obtained by an image sensor having individual color filters, comprising:

a replacement unit for, for a pixel value of a pixel that need not be replaced by another pixel value among pixel values contained in the original image data, adding replacement information representing non-replacement of the pixel value to the pixel value, and outputting the pixel value as replacement information-added image data, and for a pixel value of a pixel that needs to be replaced by another pixel value, replacing the pixel value by a predetermined pixel value, adding replacement information indicating replacement of the pixel value to the replaced pixel value, and outputting the pixel value as replacement information-added image data; and

an interpolation unit for outputting interpolated pixel values having all color information by interpolating a pixel value at an interpolation point for each color information on the basis of a predetermined arithmetic expression from pixel values of pixels of the same color falling within a predetermined interpolation region containing the interpolation point among all replacement information-added image data output from said replacement unit, and when replacement information of any pixel used for calculation indicates replacement, using an arithmetic expression different from the arithmetic expression; and

~~said apparatus further comprises~~

a defect information generation unit for using relative pixel position information with respect to an immediately preceding defective pixel. position as information indicating a defective pixel position of the image sensor to determine whether each pixel forming the original image data is a defective pixel, and outputting a determination result as defect information to said replacement unit in synchronism with the each pixel, and wherein

said replacement unit determines whether to replace a pixel value on the basis of the defect information from said defect information generation unit in accordance with whether each pixel value included in the original image data corresponds to a defective pixel.

Appl. No. 09/655,665
Amdt. dated December 21, 2004
Reply to Office Action of October 4, 2004

PATENT